

No. 73249

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office SEP 14 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed SEP 14 2005

The applicant **Hillside Hay Company, L.L.C.** hereby makes application for permission to change the **Point of diversion Place of use** of water heretofore appropriated under **Permit Number 27060, Certificate Number 9582**

1. The source of water is **Underground**
2. The amount of water to be changed **2.7 CFS (778.25 Acre-Feet/Year)**
3. The water to be used for **Irrigation and Domestic**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point **SW ¼SW ¼ Section 23, T.4S., R.36E., M.D.M.**, or at a point from which the **SW¼ corner of said Section 23 bears S. 86° 38' 40" W. a distance of 1,326.25'**
6. The existing permitted point of diversion is located within **SE¼SW¼ Section 23, T.4S., R.36E., M.D.M.**, or at a point from which the **S¼ of Said Section 23 bears S. 75° 54' 01" E. a distance of 1,356.43'**
7. Proposed place of use **155.65 acres within a portion of the S½NW¼ and a portion of the SW¼ of Section 23, T.4S., R.36E., M.D.M.**
8. Existing place of use **40.00 acres in the SW¼ NW¼ of Section 23, T.4S., R.36E., M.D.B.&M**
40.00 acres in the NW¼ SW ¼ of Section 23, T.4S., R.36E., M.D.B.&M
40.00 acres in the SW¼ SW¼ of Section 23, T.4S., R.36E., M.D.B.&M
35.65 acres in the SE¼ SW¼ of Section 23, T.4S., R.36E., M.D.B.&M
155.65 acres total
9. Use will be from **Jan 1 to Dec 31** of each year.
10. Use was permitted from **Jan 1 to Dec 31** of each year.
11. Description of proposed works **Drilled well 435' deep (100' blank, 335' perf.) with 14" casing, 0-50' depth concrete casing, 50-435' gravel-packed, 100hp U.S. Motor, Pump: 1200gpm @ 50psi 284 TDH.**
12. Estimated cost of works **\$110,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **3 years**

15. Remarks:

By **Hillside Hay Company, L.L.C.**
s/by John I Mauren Owner
HC 72 Box 11504
Dyer, NV 89010

Compared sg/ag lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 27060, Certificate 9582, is issued subject to the terms and conditions imposed in said Permit 27060, Certificate 9582, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.70 cubic feet per second, but not to exceed 778.25 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 11, 2008

Proof of completion of work shall be filed on or before:

May 11, 2008

Water must be placed to beneficial use on or before:

April 11, 2011

Proof of the application of water to beneficial use shall be filed on or before:

May 11, 2011

Map in support of proof of beneficial use shall be filed on or before:

May 11, 2011

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 11th day of April, A.D. 2006


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____